

LITERATURE CITED

- Allen, R.B. & Platt, K.H. 1990. Annual seedfall variation in *Nothofagus solandri* (Fagaceae), Canterbury, New Zealand. *Oikos* 57:199-206.
- Baker, A. 1999. Food plants of bellbird, tui and New Zealand pigeon in Dunedin. *Notornis* 46: 270-272.
- Baker, A.R. 1992. Food plants of the bellbird, tui and New Zealand pigeon. *Notornis* 39: 261-262.
- Barracough, R. K. 2000. Distance sampling: a discussion document produced for the Department of Conservation. Department of Conservation, Wellington.
- Dungan, R.J., Norton, D.A. & Duncan, R.P. 2001. Seed rain in successional vegetation, Port Hills Ecological District, New Zealand. *New Zealand Journal of Botany* 39: 115-124.
- Handford, P. 2000. *Native Forest Monitoring*. Forme Consulting Group, Tawa, Wellington.
- Harris, W. 1997. Some perspectives in plant genetic variation and ecological restoration. Pages 26-30 in Smale, M.C. & Meurk, C.D. (eds). *Proceedings of a Workshop on Scientific Issues in Ecological Restoration*. Manaaki Whenua Press, Lincoln.
- Leathwick, J. et al. 2003. *Land Environments of New Zealand*. Bateman, Auckland.
- McGlone, M.S. 1983. Polynesian deforestation of New Zealand: a preliminary synthesis. *Archaeology in Oceania* 18:11-25.
- MfE. 1997. *The State of New Zealand's Environment*. Ministry for the Environment, Wellington.
- Moar, N.T. 1971. Contributions to the Quaternary history of the New Zealand flora 6. Aranui pollen diagrams from Canterbury, Nelson, and North Westland, South Island. *New Zealand Journal of Botany* 9: 80-145.
- Molloy, B.P.J. et al. 1963. Distribution of subfossil forest remains, eastern South Island, New Zealand. *New Zealand Journal of Botany* 1: 68-77.
- Murphy, D.J. & Kelly, D. 2001. Scarce or distracted? Bellbird foraging and diet in an area of inadequate mistletoe pollination. *New Zealand Journal of Ecology* 25: 69-81.
- Norton, D.A. 1997. Ecological basis for restoration in mainland New Zealand. Pages 11-14 in Smale, M.C. & Meurk, C.D. (eds). *Proceedings of a Workshop on Scientific Issues in Ecological Restoration*. Manaaki Whenua Press, Lincoln.
- Norton, D.A., Lord, J.M., Given, D.R. & de Lange, P.J. 1994. Over-collecting: an overlooked factor in the decline of plant taxa. *Taxon* 33: 181-185.
- Ogden, J., Basher, L. & McGlone, M. 1998. Fire, forest regeneration and links with early human habitation: evidence from New Zealand. *Annals of Botany* 81: 687-696.
- Phipps, H. 2003. Assessing the success of restoration plantings at Cape Foulwind, New Zealand. Unpublished M.For.Sc. thesis, University of Canterbury, Christchurch.
- Porteous, T. 1993. *Native Forest Restoration*. QEII National Trust, Wellington.
- Reay, S.D. & Norton, D.A. 1999. Assessing the success of restoration plantings in a temperate New Zealand Forest. *Restoration Ecology* 7: 298-308.
- Russell, P. & Brown, J. 1990. *Coastal Resource Inventory. First Order Survey*. Canterbury Conservancy, Department of Conservation, Wellington.
- Simpson, P. 1992. Sustaining genetic integrity through restoration using local plant provenances. Pages 336-346 in *Proceedings of the International Conference on Sustainable Land Management*. Hawkes Bay Regional Council, Napier.
- Sutherland, J. 2002. Design for bellbirds. *Korimako Calling* 2.
- Theinhardt, N.I. 2003. Plant restoration at an open cast coal mine West Coast, New Zealand. Unpublished M.For.Sc. thesis, University of Canterbury, Christchurch.
- Timmins, S., and M. Wassilieff. 1984. The effects of planting programmes on natural distribution and genetics of native plant species. *The Landscape April* 1984:18-20.

- Williams, P.A. 1983. Secondary vegetation succession on the Port Hills, Banks Peninsula, Canterbury. *New Zealand Journal of Botany* 21: 237-247.
- Wilson, H.D. 1994. Regeneration of native forest on Hinewai Reserve, Banks Peninsula. *New Zealand Journal of Botany* 32: 373-384.

