

## Minor corrections to the Operative Hurunui District Plan

The following memo outlines the correction of a minor error identified in the Operative Hurunui District Plan. The correction of this error is pursuant to clause 20A of Schedule 1 of the Resource Management Act 1991.

Clause 20A allows the Council to amend the Operative Hurunui District Plan to correct any minor errors without using the Schedule 1 process.

### Update of external reference

Update	Reason
Definition of potable water: <i>means water which meets the Drinking Water Standards for New Zealand, <del>Department of Health, Ministry of Health</del>, 2005, (revised 2008) but does not include rainwater collected from roofs.</i>	<p>To correct the reference to the Department of Health. The current name is the Ministry of Health. The Department of Health reference is incorrect and was rolled over from the Inoperative District Plan without correction.</p> <p>To acknowledge the updated version of the Drinking Water Standards for New Zealand to ensure plan users reference the most up-to-date version.</p>
Definition of all weather standard: <i>means a pavement (includes metalled and sealed surfaces) which has been excavated to a sound subgrade, backfilled and compacted with screened and graded aggregate and is usable by motor vehicles under all reasonable weather conditions that the adjacent road is usually trafficable. Bridges shall be designed in accordance with the <del>Transit New Zealand New Zealand Transport Agency</del> Bridge Manual (SP/m/022 <del>2<sup>nd</sup> edition, June 2003</del> 3<sup>rd</sup> edition, May 2013, or any replacement manual) and culverts shall be designed and installed to have sufficient flow capacity to pass runoff for a rainfall event with a 2% Annual Exceedance Probability (AEP).</i>	<p>To correct the reference to Transit New Zealand. The current name is the New Zealand Transport Agency. The Transit New Zealand reference is incorrect and was rolled over from the Inoperative District Plan without correction.</p> <p>To acknowledge the updated version of the Bridge Manual to ensure plan users reference the most up-to-date version.</p>

This change is a correction of a minor error under Clause 20A and has been approved under delegated authority granted by Council resolution 31 May 2018.



Judith Batchelor, Manager Regulatory Services

19 October 2018